ANY-LAMP.CO.UK

# Specifications Philips LED Panel CoreLine RC132V 33,5W 3600lm - 840 Cool White | 60x60cm - UGR <19 - Interact Dimmable - Emergency 3H

View Product

## General Information

| | |
|---|---|
| SKU | 246358 |
| EAN | 8720169013919 |
| Manufacturer Code | 01391900 |
| Brand | Philips |
| Manufacturer Name | RC132V G5 36S/840 WIA W60L60 OC ELB3 W4 |
| Any Lamp all-in warranty | 5 Years |
| Average Lifetime (h) | 50000 |
| Series | RC132V |

## Technical Information

| | |
|---|---|
| Technology | LED Integrated |
| Replaces (Watt) | 4x18 |
| Wattage | 33.5W |
| Voltage (V) | 220-240 |
| Dimmable | Dimmable with Philips Interact |
| Colour Code | 840 Cool White |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra) | 80-89 |
| Colour of Light | White |
| Light colour options | Single Color |

| | |
|---|---|
| Including bulb | Yes |
| Amount of bulbs required | 1 |
| Luminous Flux (Lumen) | 3600lm |
| Lumen per watt | 107 |
| IP-Rating | IP20 |
| Impact Protection (IK) | IK03 - 0.35 joule |
| Fixture Connection | PI [Push-in connector 4-pole] |
| Finish of Reflector | Acrylate |
| Power factor | >0.90 |
| Product Type Category | LED Panel |

## Fixture Information

| | |
|---|---|
| EOC8 | 01391900 |
| Mounting Method | Recessed |
| Unified Glare Rating | < 19 - for offices and schools |
| Optical Cover | PS (Polystyrene) |
| Operating Temperature | 0 to +35 |
| Emergency Lighting | 3H Emergency Light |
| Colour of the Fixture | White |
| Housing | Steel |
| Colour of material | White |

## Dimensions

| | |
|---|---|
| LED panel size | 60x60cm |
| Length (mm) | 595 |
| Width (mm) | 595 |
| Height (mm) | 70 |

## Sensor Information

| | |
|---|---|
| Type of sensor | No Sensor |


## Why Any-lamp?

Order from the **largest lighting specialist** in Europe

**Customised** quotation

Up to **7 years warranty**

**Easy** return process

Trustpilot